

# SAFETY DATA SHEET

## 1. Identification

**Product identifier:** MOTOMASTER FOGGING OIL - 038-0910-6

**Other means of identification**

**SDS number:** RE1000018384

**Recommended restrictions**

**Product use:** Coating

**Restrictions on use:** Not known.

**Manufacturer/Importer/Distributor Information**

**Manufacturer**

Company Name: CANADIAN TIRE CORPORATION  
Address: PO Box 770  
Toronto, ON M4P 2V8  
Telephone: 416-544-7661  
Fax:

**Emergency telephone number:** 1-866-836-8855

## 2. Hazard(s) identification

**Hazard Classification**

**Physical Hazards**

Flammable aerosol	Category 1
Gases under pressure	Liquefied gas

**Health Hazards**

Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1B
Specific Target Organ Toxicity - Repeated Exposure	Category 1 <sup>1</sup> .
Aspiration Hazard	Category 1

**Target Organs**

1.Nervous System

**Environmental Hazards**

Acute hazards to the aquatic environment	Category 3
---	------------

**Label Elements**

**Hazard Symbol:**



**Signal Word:**

Danger

<b>Hazard Statement:</b>	Extremely flammable aerosol. May cause genetic defects. May cause cancer. Causes damage to organs through prolonged or repeated exposure. May be fatal if swallowed and enters airways. Harmful to aquatic life. Contains gas under pressure; may explode if heated.
<b>Precautionary Statements</b>	
<b>Prevention:</b>	Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
<b>Response:</b>	IF SWALLOWED: Immediately call a POISON CENTER/doctor. Do NOT induce vomiting. IF exposed or concerned: Get medical advice/attention.
<b>Storage:</b>	Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F.
<b>Disposal:</b>	Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.
<b>Other hazards which do not result in GHS classification:</b>	None.

### 3. Composition/information on ingredients

#### Mixtures

Chemical Identity	Common name and synonyms	CAS number	Content in percent (%) <sup>*</sup>
Distillates (petroleum), hydrotreated middle		64742-46-7	45 - 70%
Propane		74-98-6	10 - 30%
Stoddard solvent		8052-41-3	7 - 13%
Distillates (petroleum), hydrotreated light		64742-47-8	1 - 5%
Nonane		111-84-2	0.1 - 1%
Benzene, 1,2,4-trimethyl-		95-63-6	0.1 - 1%
Benzene, dimethyl-		1330-20-7	0.1 - 1%

<sup>\*</sup> All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

### 4. First-aid measures

<b>Ingestion:</b>	Call a physician or poison control center immediately. Rinse mouth. Never give liquid to an unconscious person. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
<b>Inhalation:</b>	Move to fresh air.
<b>Skin Contact:</b>	Wash skin thoroughly with soap and water. Get medical attention if symptoms occur.
<b>Eye contact:</b>	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. If eye irritation persists: Get medical advice/attention.

**Most important symptoms/effects, acute and delayed**

**Symptoms:** No data available.

**Hazards:** No data available.

**Indication of immediate medical attention and special treatment needed**

**Treatment:** No data available.

**5. Fire-fighting measures**

**General Fire Hazards:** Use water spray to keep fire-exposed containers cool. Fight fire from a protected location. Move containers from fire area if you can do so without risk.

**Suitable (and unsuitable) extinguishing media**

**Suitable extinguishing media:** Use fire-extinguishing media appropriate for surrounding materials.

**Unsuitable extinguishing media:** Do not use water jet as an extinguisher, as this will spread the fire.

**Specific hazards arising from the chemical:** Vapors may travel considerable distance to a source of ignition and flash back.

**Special protective equipment and precautions for firefighters**

**Special fire fighting procedures:** No data available.

**Special protective equipment for fire-fighters:** Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.

**6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures:** Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep upwind.

**Methods and material for containment and cleaning up:** Absorb spill with vermiculite or other inert material, then place in a container for chemical waste.

**Notification Procedures:** Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you can do so without risk.

**Environmental Precautions:** Do not contaminate water sources or sewer. Prevent further leakage or spillage if safe to do so. Avoid release to the environment.

**7. Handling and storage**

**Precautions for safe handling:** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use.

**Conditions for safe storage, including any incompatibilities:**

Store locked up. Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use. Aerosol Level 3

## 8. Exposure controls/personal protection

### Control Parameters

#### Occupational Exposure Limits

Chemical Identity	Type	Exposure Limit Values	Source
Distillates (petroleum), hydrotreated middle - Mist.	TWA	5 mg/m <sup>3</sup>	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
	STEL	10 mg/m <sup>3</sup>	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Distillates (petroleum), hydrotreated middle	8 HR ACL	5 mg/m <sup>3</sup>	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	10 mg/m <sup>3</sup>	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Distillates (petroleum), hydrotreated middle - Mist.	TWA	1 mg/m <sup>3</sup>	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
Distillates (petroleum), hydrotreated middle - Inhalable fraction.	TWA	5 mg/m <sup>3</sup>	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2014)
Distillates (petroleum), hydrotreated middle - Inhalable fraction.	TWA	5 mg/m <sup>3</sup>	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
	TWA	5 mg/m <sup>3</sup>	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Distillates (petroleum), hydrotreated middle - Mist.	STEL	10 mg/m <sup>3</sup>	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
	TWA	5 mg/m <sup>3</sup>	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Distillates (petroleum), hydrotreated middle - Inhalable fraction.	TWA	5 mg/m <sup>3</sup>	US. ACGIH Threshold Limit Values (03 2014)
Propane	TWA	1,000 ppm	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Propane	8 HR ACL	1,000 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Propane	TWA	1,000 ppm 1,800 mg/m <sup>3</sup>	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Propane	TWA	1,000 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	15 MIN ACL	1,250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Stoddard solvent	TWA	100 ppm 572 mg/m <sup>3</sup>	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
Stoddard solvent	STEL	580 mg/m <sup>3</sup>	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	TWA	290 mg/m <sup>3</sup>	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Stoddard solvent	TWA	100 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Stoddard solvent	15 MIN ACL	125 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	8 HR ACL	100 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Stoddard solvent	TWA	100 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Stoddard solvent	TWA	100 ppm 525 mg/m <sup>3</sup>	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Stoddard solvent	TWA	100 ppm	US. ACGIH Threshold Limit Values (2008)
Distillates (petroleum),	TWA	525 mg/m <sup>3</sup>	Canada. Ontario OELs. (Control of Exposure to Biological

hydrotreated light			or Chemical Agents) (12 2007)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Distillates (petroleum), hydrotreated light - Vapor. - as total hydrocarbon vapor	TWA	200 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (07 2009)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Distillates (petroleum), hydrotreated light - Vapor. - as total hydrocarbons	8 HR ACL	200 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	15 MIN ACL	250 mg/m3	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	TWA	200 mg/m3	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
	TWA	200 mg/m3	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Distillates (petroleum), hydrotreated light - Non-aerosol. - as total hydrocarbon vapor	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (2008)
	TWA	200 mg/m3	US. ACGIH Threshold Limit Values (2008)
Benzene, 1,2,4-trimethyl-	TWA	25 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Benzene, 1,2,4-trimethyl-	8 HR ACL	25 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Benzene, 1,2,4-trimethyl-	TWA	25 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Benzene, 1,2,4-trimethyl-	TWA	25 ppm 123 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
Benzene, 1,2,4-trimethyl-	TWA	25 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Benzene, 1,2,4-trimethyl-	TWA	25 ppm 123 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
	15 MIN ACL	30 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Benzene, 1,2,4-trimethyl-	TWA	25 ppm	US. ACGIH Threshold Limit Values (2008)
Nonane	TWA	200 ppm 1,050 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (12 2008)
Nonane	TWA	200 ppm 1,050 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
Nonane	8 HR ACL	200 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Nonane	TWA	200 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (05 2013)
Nonane	TWA	200 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
	15 MIN ACL	250 ppm	Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Nonane	TWA	200 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2012)
Nonane	TWA	200 ppm	US. ACGIH Threshold Limit Values (02 2012)
Benzene, dimethyl-	STEL	150 ppm 651 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
Benzene, dimethyl-	TWA	100 ppm	Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Benzene, dimethyl-	TWA	100 ppm	Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Benzene, dimethyl-	STEL	150 ppm	Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)

	TWA	100 ppm	434 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
Benzene, dimethyl-	8 HR ACL	100 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	STEL	150 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
	TWA	100 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Benzene, dimethyl-	TWA	100 ppm	434 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
	STEL	150 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	STEL	150 ppm	651 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
	15 MIN ACL	150 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Benzene, dimethyl-	TWA	100 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	150 ppm		US. ACGIH Threshold Limit Values (2008)
Benzene, ethyl-	TWA	20 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (09 2011)
Benzene, ethyl-	TWA	100 ppm	434 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
Benzene, ethyl-	TWA	20 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (06 2015)
Benzene, ethyl-	8 HR ACL	100 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Benzene, ethyl-	TWA	20 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
	STEL	125 ppm	543 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
Benzene, ethyl-	TWA	100 ppm	434 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
	15 MIN ACL	125 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	STEL	125 ppm	543 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Benzene, ethyl-	TWA	20 ppm		US. ACGIH Threshold Limit Values (12 2010)
Naphthalene	STEL	15 ppm	79 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
	TWA	10 ppm	52 mg/m3	Canada. Alberta OELs (Occupational Health & Safety Code, Schedule 1, Table 2) (10 2006)
Naphthalene	TWA	10 ppm		Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents) (11 2010)
Naphthalene	TWA	10 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
	STEL	15 ppm		Canada. British Columbia OELs. (Occupational Exposure Limits for Chemical Substances, Occupational Health and Safety Regulation 296/97, as amended) (07 2007)
Naphthalene	TWA	10 ppm		Canada. Manitoba OELs (Reg. 217/2006, The Workplace Safety And Health Act) (03 2011)
Naphthalene	15 MIN ACL	15 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
	8 HR ACL	10 ppm		Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21) (05 2009)
Naphthalene	STEL	15 ppm	79 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
	TWA	10 ppm	52 mg/m3	Canada. Quebec OELs. (Ministry of Labor - Regulation Respecting the Quality of the Work Environment) (09 2017)
Naphthalene	TWA	10 ppm		US. ACGIH Threshold Limit Values (2008)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

<b>General information:</b>	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. Supplementary local exhaust ventilation, closed systems, or respiratory and eye protection may be needed in special circumstances, such as poorly ventilated spaces, heating, evaporation of liquids from large surfaces, spraying of mists, mechanical generation of dusts, drying of solids, etc.
<b>Eye/face protection:</b>	Wear safety glasses with side shields (or goggles).
<b>Skin Protection</b>	
<b>Hand Protection:</b>	No data available.
<b>Other:</b>	Wear suitable protective clothing.
<b>Respiratory Protection:</b>	In case of inadequate ventilation use suitable respirator. Seek advice from local supervisor.
<b>Hygiene measures:</b>	Observe good industrial hygiene practices. When using do not smoke.

## 9. Physical and chemical properties

### Appearance

<b>Physical state:</b>	liquid
<b>Form:</b>	Spray Aerosol
<b>Color:</b>	No data available.

**Odor:** No data available.

**Odor threshold:** No data available.

**pH:** No data available.

**Melting point/freezing point:** No data available.

**Initial boiling point and boiling range:** Estimated 152.62 °C

**Flash Point:** Estimated -104.4 °C

**Evaporation rate:** No data available.

**Flammability (solid, gas):** No data available.

### Upper/lower limit on flammability or explosive limits

**Flammability limit - upper (%):** No data available.

**Flammability limit - lower (%):** No data available.

**Explosive limit - upper (%):** No data available.

**Explosive limit - lower (%):** No data available.

**Vapor pressure:** No data available.

**Vapor density:** No data available.

**Density:** No data available.

**Relative density:** No data available.

### Solubility(ies)

**Solubility in water:** No data available.

**Solubility (other):** No data available.

**Partition coefficient (n-octanol/water):** No data available.

**Auto-ignition temperature:** No data available.

**Decomposition temperature:** No data available.

**Viscosity:** No data available.

## 10. Stability and reactivity

<b>Reactivity:</b>	No data available.
<b>Chemical Stability:</b>	Material is stable under normal conditions.
<b>Possibility of hazardous reactions:</b>	No data available.
<b>Conditions to avoid:</b>	Avoid heat or contamination.
<b>Incompatible Materials:</b>	No data available.
<b>Hazardous Decomposition Products:</b>	No data available.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Symptoms related to the physical, chemical and toxicological characteristics

<b>Inhalation:</b>	No data available.
<b>Skin Contact:</b>	No data available.
<b>Eye contact:</b>	No data available.
<b>Ingestion:</b>	No data available.

### Information on toxicological effects

#### Acute toxicity (list all possible routes of exposure)

##### Oral

<b>Product:</b>	Not classified for acute toxicity based on available data.
<b>Specified substance(s):</b>	
Distillates (petroleum), hydrotreated middle	LD 50 (Rat): > 5,000 mg/kg
Stoddard solvent	LD 50: > 2,000 mg/kg
Distillates (petroleum), hydrotreated light	LD 50 (Rat): > 5,000 mg/kg
Nonane	LD 50 (Rat): > 5,000 mg/kg
Benzene, 1,2,4-trimethyl-	LD 50 (Rat): 6,000 mg/kg
Benzene, dimethyl-	LD 50 (Rat): 3,523 mg/kg

##### Dermal

<b>Product:</b>	Not classified for acute toxicity based on available data.
-----------------	--



**Specified substance(s):**

Distillates (petroleum), hydrotreated middle LD 50 (Rabbit): > 2,000 mg/kg

Stoddard solvent LD 50: > 2,000 mg/kg

Distillates (petroleum), hydrotreated light LD 50 (Rabbit): > 2,000 mg/kg

Nonane LD 50 (Rabbit): > 2,000 mg/kg

Benzene, 1,2,4-trimethyl- LD 50 (Rat): 3,440 mg/kg

Benzene, dimethyl- LD 50 (Rabbit): 12,126 mg/kg  
LD 50: 2,000 mg/kg

**Inhalation**

**Product:** ATEmix: 7.12 mg/l

**Repeated dose toxicity**

**Product:** No data available.

**Specified substance(s):**

Distillates (petroleum), hydrotreated middle LOAEL (Rat(Female, Male), Inhalation): 24 mg/m3 Inhalation Experimental result, Key study  
NOAEL (Rabbit(Female, Male), Dermal): 1,000 mg/kg Dermal Experimental result, Key study

Propane NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Experimental result, Key study  
LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Experimental result, Key study

Stoddard solvent NOAEL (Rat, Inhalation - vapor): 1.9 mg/l (Target Organ(s): Nervous System)

Distillates (petroleum), hydrotreated light NOAEL (Rat(Female, Male), Inhalation): >= 24 mg/m3 Inhalation Experimental result, Key study  
NOAEL (Rat(Female), Oral, 70 - 147 d): 750 mg/kg Oral Experimental result, Key study

Nonane NOAEL (Rat(Male), Inhalation): 8,400 mg/m3 Inhalation Experimental result, Key study  
NOAEL (Rat(Female), Oral, 90 d): 100 mg/kg Oral Experimental result, Key study

Benzene, 1,2,4-trimethyl- NOAEL (Rat(Female, Male), Oral, 90 - 91 d): 600 mg/kg Oral Read-across from supporting substance (structural analogue or surrogate), Key study  
NOAEL (Rat(Female, Male), Inhalation): 1,800 mg/m3 Inhalation Experimental result, Key study

Benzene, dimethyl- NOAEL (Rat(Female), Oral, 90 d): 150 mg/kg Oral Experimental result, Key study

**Skin Corrosion/Irritation**

**Product:** No data available.

**Specified substance(s):**

Distillates (petroleum), hydrotreated middle in vivo (Rabbit): Not irritant Experimental result, Key study

Distillates (petroleum), hydrotreated light in vivo (Rabbit): Not irritant Experimental result, Key study

Nonane in vivo (Rabbit): Irritating Read-across based on grouping of substances (category approach), Key study

Benzene, 1,2,4-trimethyl- in vivo (Rabbit): Irritating Read-across from supporting substance (structural analogue or surrogate), Supporting study

Benzene, dimethyl- in vivo (Rabbit): Irritating. Experimental result, Weight of Evidence study

**Serious Eye Damage/Eye Irritation**

**Product:** No data available.

**Specified substance(s):**

Distillates (petroleum),  
hydrotreated middle Rabbit, 24 hrs: Not irritating

Distillates (petroleum),  
hydrotreated light Rabbit, 24 - 72 hrs: Not irritating

Nonane Rabbit, 24 - 72 hrs: Not irritating

Benzene, dimethyl- Rabbit, 1 hrs: Slightly irritating (Not Classified)

**Respiratory or Skin Sensitization**

**Product:** No data available.

**Specified substance(s):**

Distillates (petroleum),  
hydrotreated middle Skin sensitization:, in vivo (Guinea pig): Non sensitising

Distillates (petroleum),  
hydrotreated light Skin sensitization:, in vivo (Guinea pig): Non sensitising

Nonane Skin sensitization:, in vivo (Guinea pig): Non sensitising

Benzene, 1,2,4-  
trimethyl- Skin sensitization:, in vivo (Guinea pig): Non sensitising

**Carcinogenicity**

**Product:** No data available.

**Specified substance(s):**

Stoddard solvent Potential cancer hazard.

**IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:**

No carcinogenic components identified

**US. National Toxicology Program (NTP) Report on Carcinogens:**

No carcinogenic components identified

**ACGIH Carcinogen List:**

No carcinogenic components identified

**Germ Cell Mutagenicity****In vitro**

**Product:** No data available.

**In vivo**

**Product:** No data available.

**Reproductive toxicity**

**Product:** No data available.

**Specific Target Organ Toxicity - Single Exposure**

**Product:** No data available.

**Specific Target Organ Toxicity - Repeated Exposure**

**Product:** No data available.

**Target Organs**

Specific Target Organ Toxicity - Repeated Exposure: Nervous System

**Aspiration Hazard**

**Product:** No data available.

**Specified substance(s):**

Stoddard solvent May be fatal if swallowed and enters airways.

Distillates (petroleum), hydrotreated light May be fatal if swallowed and enters airways.

Nonane May be fatal if swallowed and enters airways.

**Other effects:** No data available.

## 12. Ecological information

### Ecotoxicity:

#### Acute hazards to the aquatic environment:

##### Fish

**Product:** No data available.

**Specified substance(s):**

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Nonane LL 50 (Oncorhynchus mykiss, 96 h): 1.125 mg/l QSAR QSAR, Key study

Benzene, 1,2,4-trimethyl- LC 50 (Pimephales promelas, 96 h): 7.72 mg/l Experimental result, Key study

Benzene, dimethyl- LC 50 (Rainbow trout, donaldson trout (Oncorhynchus mykiss), 96 h): 6.702 - 10.032 mg/l Mortality

##### Aquatic Invertebrates

**Product:** No data available.

**Specified substance(s):**

Nonane EC 50 (Daphnia magna, 48 h): 0.2 mg/l Experimental result, Key study

Benzene, 1,2,4-trimethyl- LC 50 (Daphnia magna, 48 h): 3.6 mg/l Experimental result, Key study

Benzene, dimethyl- LC 50 (Water flea (Daphnia magna), 24 h): 150 mg/l Mortality

#### Chronic hazards to the aquatic environment:

##### Fish

**Product:** No data available.

**Specified substance(s):**

Distillates (petroleum), hydrotreated light NOAEL (Oncorhynchus mykiss): 0.098 mg/l QSAR QSAR, Key study

Nonane NOAEL (Oncorhynchus mykiss): 0.252 mg/l QSAR QSAR, Key study

Benzene, dimethyl- NOAEL (Oncorhynchus mykiss): > 1.3 mg/l Experimental result, Key study

##### Aquatic Invertebrates

**Product:** No data available.

**Specified substance(s):**

Nonane NOAEL (Daphnia magna): 0.17 mg/l Read-across based on grouping of substances (category approach), Key study

Benzene, dimethyl- NOAEL (Ceriodaphnia dubia): 1.17 mg/l Read-across from supporting substance (structural analogue or surrogate), Key study

#### Toxicity to Aquatic Plants

**Product:** No data available.

## Persistence and Degradability

### Biodegradation

**Product:** No data available.

#### Specified substance(s):

Distillates (petroleum), hydrotreated middle	41.96 % Detected in water. Experimental result, Key study
Propane	100 % (385.5 h) Detected in water. Experimental result, Key study 50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study
Distillates (petroleum), hydrotreated light	61 % Detected in water. Experimental result, Supporting study
Nonane	100 % (25 d) Detected in water. Experimental result, Key study 100 % (15 d) Detected in water. Experimental result, Key study
Benzene, 1,2,4-trimethyl-	96 % (13 d) Detected in water. Experimental result, Weight of Evidence study 80 % (5 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Weight of Evidence study 38 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Weight of Evidence study 92 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Weight of Evidence study
Benzene, dimethyl-	87.8 % Detected in water. Read-across from supporting substance (structural analogue or surrogate), Key study

### BOD/COD Ratio

**Product:** No data available.

## Bioaccumulative potential

### Bioconcentration Factor (BCF)

**Product:** No data available.

#### Specified substance(s):

Nonane	Bioconcentration Factor (BCF): 105 Aquatic sediment Estimated by calculation, Key study
Benzene, 1,2,4-trimethyl-	Cyprinus carpio, Bioconcentration Factor (BCF): 33 - < 275 Aquatic sediment Experimental result, Supporting study
Benzene, dimethyl-	Oncorhynchus mykiss, Bioconcentration Factor (BCF): > 7.6 - < 21.6 Aquatic sediment Experimental result, Key study

## Partition Coefficient n-octanol / water (log Kow)

**Product:** No data available.

#### Specified substance(s):

Benzene, dimethyl-	Log Kow: 2.77 - 3.15 No Not specified, Not specified
--------------------	--

**Mobility in soil:** No data available.

### Known or predicted distribution to environmental compartments

Distillates (petroleum), hydrotreated middle	No data available.
Propane	No data available.
Stoddard solvent	No data available.
Distillates (petroleum), hydrotreated light	No data available.
Nonane	No data available.
Benzene, 1,2,4-trimethyl-	No data available.
Benzene, dimethyl-	No data available.

**Other adverse effects:** Harmful to aquatic organisms.

### 13. Disposal considerations

<b>Disposal instructions:</b>	Discharge, treatment, or disposal may be subject to national, state, or local laws.
<b>Contaminated Packaging:</b>	No data available.

### 14. Transport information

#### **TDG**

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2.1
Label(s):	—
EmS No.:	
Packing Group:	—
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

#### **IMDG**

UN Number:	UN 1950
UN Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es)	
Class:	2
Label(s):	—
EmS No.:	
Packing Group:	—
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

#### **IATA**

UN Number:	UN 1950
Proper Shipping Name:	Aerosols, flammable
Transport Hazard Class(es):	
Class:	2.1
Label(s):	—
Packing Group:	—
Environmental Hazards:	No
Marine Pollutant	No
Special precautions for user:	Not regulated.

### 15. Regulatory information

#### **Canada Federal Regulations List of Toxic Substances (CEPA, Schedule 1)**

##### **Chemical Identity**

Stoddard solvent  
Distillates (petroleum), hydrotreated light  
Naphthalene

## **Export Control List (CEPA 1999, Schedule 3)**

### **Chemical Identity**

Stoddard solvent  
Distillates (petroleum), hydrotreated light

## **National Pollutant Release Inventory (NPRI)**

### **Canada. National Pollutant Release Inventory (NPRI) Substances, Part 5, VOCs with Additional Reporting Requirements**

NPRI PT5	Propane
	Stoddard solvent
	Distillates (petroleum), hydrotreated light
	Benzene, 1,2,4-trimethyl-
	Nonane
	Benzene, dimethyl-

### **Canada. National Pollutant Release Inventory (NPRI) (Schedule 1, Parts 1-4)**

NPRI	Stoddard solvent
	Distillates (petroleum), hydrotreated light

## **Greenhouse Gases**

### **Chemical Identity**

Stoddard solvent  
Distillates (petroleum), hydrotreated light

## **Controlled Drugs and Substances Act**

CA CDSI	Stoddard solvent
	Distillates (petroleum), hydrotreated light
CA CDSII	Stoddard solvent
	Distillates (petroleum), hydrotreated light
CA CDSIII	Stoddard solvent
	Distillates (petroleum), hydrotreated light
CA CDSIV	Stoddard solvent
	Distillates (petroleum), hydrotreated light
CA CDSV	Stoddard solvent
	Distillates (petroleum), hydrotreated light
CA CDSVII	Stoddard solvent
	Distillates (petroleum), hydrotreated light
CA CDSVIII	Stoddard solvent
	Distillates (petroleum), hydrotreated light

## **Precursor Control Regulations**

### **Chemical Identity**

Stoddard solvent  
Distillates (petroleum), hydrotreated light

## **International regulations**

### **Montreal protocol**

Stoddard solvent  
Distillates (petroleum), hydrotreated light

### **Stockholm convention**

Stoddard solvent  
Distillates (petroleum), hydrotreated light

### **Rotterdam convention**

Stoddard solvent  
Distillates (petroleum), hydrotreated light

### **Kyoto protocol**

**Inventory Status:**

EINECS, ELINCS or NLP:	Not in compliance with the inventory.
Japan (ENCS) List:	Not in compliance with the inventory.
China Inv. Existing Chemical Substances:	Not in compliance with the inventory.
Korea Existing Chemicals Inv. (KECI):	Not in compliance with the inventory.
Canada NDSL Inventory:	Not in compliance with the inventory.
Japan ISHL Listing:	Not in compliance with the inventory.
Japan Pharmacopoeia Listing:	Not in compliance with the inventory.
Australia AICS:	On or in compliance with the inventory
Canada DSL Inventory List:	On or in compliance with the inventory
Philippines PICCS:	On or in compliance with the inventory
US TSCA Inventory:	On or in compliance with the inventory
New Zealand Inventory of Chemicals:	On or in compliance with the inventory
Mexico INSQ:	On or in compliance with the inventory
Ontario Inventory:	On or in compliance with the inventory
Taiwan Chemical Substance Inventory:	On or in compliance with the inventory

**16. Other information, including date of preparation or last revision**

**Issue Date:** 10/31/2019

**Revision Date:** No data available.

**Version #:** 1.0

**Further Information:** No data available.

**Disclaimer:** This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.