

Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Date of issue: 1/3/2020 Revision date: 1/3/2020 Version: 1.0

SECTION 1: Identification

1.1. Product identifier

Product name : PB Penetreating Catalyst Product code : 16-PB-CND, 26-PB-CND

1.2. Recommended use and restrictions on use

Recommended use : Penetrant

1.3. Supplier

Manufacturer Distributor

The Blaster Corporation 8500 Sweet Valley Drive 44125 Valley View, Ohio - USA T (216) 901-5800 - F (216) 901-5801 www.blastercorp.com

1.4. Emergency telephone number

Emergency number : ChemTel 800-255-3924 Contract #: MIS7234544

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification (GHS-CA)

Flam. Aerosol 2 H223 Dissolved gas H280 Asp. Tox. 1 H304

2.2. GHS Label elements, including precautionary statements

GHS-CA labelling

Hazard pictograms (GHS-CA)



GHS04



GHS02

Signal word (GHS-CA) : Danger

Hazard statements (GHS-CA) : H223 - Flammable aerosol

H280 - Contains gas under pressure; may explode if heated H304 - May be fatal if swallowed and enters airways

Precautionary statements (GHS-CA) : P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking

P211 - Do not spray on an open flame or other ignition source

P251 - Do not pierce or burn, even after use

P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER or

doctor P331 - Do NOT induce vomiting

P405 - Store locked up

P403 - Store in a well-ventilated place

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F P501 - Dispose of contents/container in accordance with local, regional, national and/or

international regulation

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS-CA)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

1/3/2020 EN (English) Page 1



Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

3.2. Mixtures

Name	Product identifier	%
Petroleum distillates, hydrotreated light	(CAS No) 64742-47-8	50.9
Solvent naphtha, petroleum, heavy aromatic	(CAS No) 64742-94-5	24.4
Distillates, petroleum, hydrotreated heavy naphthenic	(CAS No) 64742-52-5	22.6
Carbon dioxide	(CAS No) 124-38-9	1.1

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : If irritation occurs, flush skin with plenty of water. Get medical attention if irritation persists. Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists. Direct contact with the eyes is likely to be irritating.

First-aid measures after ingestion : IF SWALLOWED: immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the

skin.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and

cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment : Symptoms may not appear immediately. In case of accident or if you feel unwell, seek medical

advice immediately (show the label or SDS where possible).

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media : Carbon dioxide, dry chemical, halons or foam.

5.2. Unsuitable extinguishing media

Unsuitable extinguishing media : Do not use a heavy water stream.

5.3. Specific hazards arising from the hazardous product

Fire hazard : Flammable aerosol. Products of combustion may include, and are not limited to: oxides of

carbon and oxides of nitrogen.

Explosion hazard : Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of

burns and injuries.

5.4. Special protective equipment and precautions for fire-fighters

Firefighting instructions : DO NOT fight fire when fire reaches explosives. Evacuate area. Exercise caution when fighting

any chemical fire.

Protection during firefighting : Keep upwind of fire. Wear full fire fighting turn-out gear (full Bunker gear) and respiratory

protection (SCBA). Vapors may be heavier than air and may travel along the ground to a distant ignition source and flash back. Use water spray to keep fire-exposed containers cool.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel. Isolate from fire, if possible, without unnecessary risk.

Remove ignition sources. Use special care to avoid static electric charges.

6.2. Methods and materials for containment and cleaning up

For containment : Eliminate sources of ignition. Contain and/or absorb spill with inert material (e.g. sand,

vermiculite), then place in a suitable container. Do not flush to sewer or allow to enter waterways. Use appropriate Personal Protective Equipment (PPE).

Methods for cleaning up : Scoop up material and place in a disposal container. Provide ventilation.

1/3/2020 EN (English) 2/6



Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

6.3. Reference to other sections

For further information refer to section 8: "Exposure controls/personal protection"

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

Do not spray on an open flame or other ignition source. Keep away from sources of ignition - No smoking. Use non-sparking tools. Use explosion-proof equipment. Take precautionary measures against static discharge. Avoid contact with skin and eyes. Do not swallow. Do not breathe gas, fumes, vapour or spray. When using do not eat, drink or smoke. Use only outdoors or in a well-ventilated area. Do not pierce or burn, even after use.

Hygiene measures : Launder contaminated clothing before reuse. Wash hands before eating, drinking, or smoking.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed.

Storage conditions : Keep locked up and out of reach of children. Do not expose to temperatures exceeding 50 °C/

122 °F. Store away from direct sunlight or other heat sources. Keep in fireproof place.

Storage area : Store in a well-ventilated place.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Carbon dioxide (124-38-9)		
USA - ACGIH	ACGIH TWA (ppm)	5000 ppm
USA - ACGIH	ACGIH STEL (ppm)	30000 ppm
IDLH	US IDLH (ppm)	40000 ppm
NIOSH	NIOSH REL (TWA) (mg/m³)	9000 mg/m³
NIOSH	NIOSH REL (TWA) (ppm)	5000 ppm
NIOSH	NIOSH REL (STEL) (mg/m³)	54000 mg/m³
NIOSH	NIOSH REL (STEL) (ppm)	30000 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls

: Use ventilation adequate to keep exposures (airborne levels of dust, fume, vapor, etc.) below recommended exposure limits.

8.3. Individual protection measures/Personal protective equipment

Hand protection

: Wear chemically resistant protective gloves.

safe working limits of the selected respirator.

Eye protection

: Safety glasses or goggles are recommended when using product.

Skin and body protection

: Wear suitable protective clothing.

Respiratory protection

: In case of insufficient ventilation, wear suitable respiratory equipment. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the

Environmental exposure controls

: Maintain levels below Community environmental protection thresholds.

Other information

: Do not eat, smoke or drink where material is handled, processed or stored. Wash hands carefully before eating or smoking. Handle according to established industrial hygiene and safety practices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance : Clear. Aerosol. Colour : Orange : Characteristic Odour Odour threshold : No data available : No data available : No data available pH solution : No data available Relative evaporation rate (butylacetate=1) Relative evaporation rate (ether=1) : No data available Melting point : No data available : No data available Freezing point **Boiling** point : 180 °C (356 °F) : > 61 °C (> 141 °F) Flash point

1/3/2020 EN (English) 3/6



Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Flammable aerosol
Vapour pressure : No data available
Vapour pressure at 50 °C : No data available
Relative vapour density at 20 °C : No data available

Relative density : 0.9

Relative density of saturated gas/air mixture : No data available Density : No data available : No data available Relative gas density : No data available Solubility Partition coefficient n-octanol/water : No data available Log Kow : No data available : No data available Viscosity, kinematic Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available

9.2. Other information

Flame projection : 0 cm
Flashback : None
Heat of Combustion : 45.8 kJ/g

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity : No dangerous reaction known under conditions of normal use.

Chemical stability : Stable under normal storage conditions. Flammable aerosol. Contents under pressure.

Container may explode if heated. Do not puncture. Do not burn. Extreme risk of explosion by

shock, friction, fire or other sources of ignition.

Possibility of hazardous reactions : No dangerous reaction known under conditions of normal use.

Conditions to avoid : Sources of ignition. Heat. Incompatible materials.

Incompatible materials : Strong oxidizing agents.

Hazardous decomposition products : May include, and are not limited to: oxides of carbon and oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.

Acute toxicity (dermal) : Not classified.

Acute toxicity (inhalation) : Not classified.

PB Penetreating Catalyst		
LD50 oral rat	> 2000 mg/kg (Calculated Acute Toxicity Estimate)	
LD50 dermal rabbit	> 2000 mg/kg (Calculated Acute Toxicity Estimate)	
LC50 inhalation rat	> 5 mg/l/4h (Calculated Acute Toxicity Estimate)	

Petroleum distillates, hydrotreated light (64742-47-8)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 inhalation rat	> 5.2 mg/l/4h	

Solvent naphtha, petroleum, heavy aromatic (64742-94-5)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 2 ml/kg	
LC50 inhalation rat	> 590 mg/m³/4 h	

Skin corrosion/irritation : Not classified.
Serious eye damage/irritation : Not classified.
Respiratory or skin sensitization : Not classified.
Germ cell mutagenicity : Not classified.

1/3/2020 EN (English) 4/6



Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Carcinogenicity : Not classified.

Reproductive toxicity : Not classified.

STOT-single exposure : Not classified.

STOT-repeated exposure : Not classified.

Aspiration hazard : May be fatal if swallowed and enters airways.

Other information : Likely routes of exposure: ingestion, inhalation, skin and eye.

Symptoms/injuries after inhalation : May cause respiratory tract irritation.

Symptoms/injuries after skin contact : May cause skin irritation. Symptoms may include redness, drying, defatting and cracking of the

skin.

Symptoms/injuries after eye contact : May cause eye irritation. Symptoms may include discomfort or pain, excess blinking and tear

production, with possible redness and swelling.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. This product may be aspirated into the lungs and

cause chemical pneumonitis. May cause stomach distress, nausea or vomiting.

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : May cause long-term adverse effects in the aquatic environment.

Petroleum distillates, hydrotreated light (64742-47-8)

LC50 fish 1 45 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 fish 2 2.2 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])

Solvent naphtha, petroleum, heavy aromatic (64742-94-5)

EC50 Daphnia 1 0.95 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Distillates, petroleum, hydrotreated heavy naphthenic (64742-52-5)

LC50 fish 1 > 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

EC50 Daphnia 1 > 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)

2.2. Persistence and degradability

PB Penetreating Catalyst

Persistence and degradability Not established.

12.3. Bioaccumulative potential

PB Penetreating Catalyst

Bioaccumulative potential Not established

Petroleum distillates, hydrotreated light (64742-47-8)

BCF fish 1 61 - 159

Solvent naphtha, petroleum, heavy aromatic (64742-94-5)

BCF fish 1 61 - 159

Partition coefficient n-octanol/water 2.9 - 6.1

Carbon dioxide (124-38-9)

BCF fish 1 (no bioaccumulation)

12.4. Mobility in soil

Solvent naphtha, petroleum, heavy aromatic (64742-94-5)

Partition coefficient n-octanol/water 2.9 - 6.1

12.5. Other adverse effects

Other information : Avoid release to the environment

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste disposal recommendations : This material must be disposed of in accordance with all local, state, provincial, and federal

regulations. The generation of waste should be avoided or minimized wherever possible.

Additional information : Flammable vapours may accumulate in the container.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

1/3/2020 EN (English) 5/6



Safety Data Sheet

according to the Hazardous Products Regulation (February 11, 2015)

Transportation of Dangerous Goods (TDG)

In accordance with TDG

UN-No.(TDG) : UN1950

Proper Shipping Name (TDG) : AEROSOLS, Flammable (Limited Quantity)

Class (TDG) : Class 2.1

Hazard labels (TDG)



14.2. Transport information/DOT

No additional information available

14.3. Air and sea transport

No additional information available

SECTION 15: Regulatory information

15.1. National regulations

All components of this product are listed, or excluded from listing, on the Canadian DSL (Domestic Substances List) and NDSL (Non-Domestic Substances List) inventories.

15.2. International regulations

No additional information available

SECTION 16: Other information

Date of issue : 1/3/2020
Revision date : 1/3/2020

Indication of changes:

Other information : None.

Disclaimer: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information contained in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. It is the user's responsibility to satisfy oneself as to the suitability and completeness of this information for the user's own particular use.

1/3/2020 EN (English) 6/6

