

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.25.2018

Page 1 of 10

Clear Epoxy Resin - Part A

SECTION 1: Identification

Product identifier

Product name: Clear Epoxy Resin - Part A

Product code: 50101CAN, 50112CAN, 50114CAN, 50114HCAN, 50132CAN, 50240CAN, 50240CAN, 50240HCAN



Recommended use of the product and restriction on use

Relevant identified uses: Not determined or not applicable.

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

North America

J-B Weld Company, LLC
400 CMH Road
Sulphur Springs, TX 75482
903-885-7696
info@jbweld.com

Emergency telephone number:

North America

InfoTrac
353-323-3500

SECTION 2: Hazard identification

GHS classification:

Skin irritation, category 2

Eye irritation, category 2A

Skin sensitization, category 1

Label elements

Hazard pictograms:



Signal word: Warning

Hazard statements:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash skin and eyes thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.25.2018

Page 2 of 10

Clear Epoxy Resin - Part A

P321 Specific treatment (see supplemental first aid instructions on this label).
P302+P352 IF ON SKIN: Wash with plenty of water/soap.
P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or a rash occurs: Get medical advice/attention
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists get medical advice/attention
P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	1-5
CAS number: 25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	>80

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the Canadian Hazardous Products Regulation and WHMIS 2015.

SECTION 4: First-aid measures

Description of first-aid measures

General notes:

Not determined or not available.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position
Maintain an unobstructed airway
Get medical advice/attention if you feel unwell

After skin contact:

Rinse affected area with soap and water
If symptoms develop or persist, seek medical attention
Take off all contaminated clothing
Gently blot or brush away excess product
Wash with plenty of lukewarm, gently flowing water
Get medical advice if skin irritation occurs or you feel unwell

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes
If symptoms develop or persist, seek medical attention
Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open
Remove contact lenses, if present and easy to do so
Continue rinsing for 15-20 minutes
Get medical advice if eye irritation persists

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.25.2018

Page 3 of 10

Clear Epoxy Resin - Part A

After ingestion:

Rinse mouth thoroughly
Seek medical attention if irritation, discomfort, or vomiting persists

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not available.

Delayed symptoms and effects:

Not determined or not available.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not available.

Notes for the doctor:

Not determined or not available.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Not determined or not applicable.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation
Ensure air handling systems are operational
Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment
Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing
Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)
Dispose of contents / container in accordance with local regulations

Reference to other sections:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.25.2018

Page 4 of 10

Clear Epoxy Resin - Part A

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.
Avoid breathing mist or vapor.
Do not eat, drink, smoke or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.
Protect from freezing and physical damage.
Store in a cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

No occupational exposure limits noted for the ingredient(s).

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.
Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.25.2018

Page 5 of 10

Clear Epoxy Resin - Part A

Information on basic physical and chemical properties

Appearance (physical state, color):	Clear liquid
Odor:	Not determined or not available.
Odor threshold:	Not determined or not available.
pH-value:	Not determined or not available.
Melting/Freezing point:	Not determined or not available.
Boiling point/range:	Not determined or not available.
Flash point:	135°C (275°F)
Evaporation rate:	Not determined or not available.
Flammability (solid, gaseous):	Not determined or not available.
Explosion limit upper:	Not determined or not available.
Explosion limit lower:	Not determined or not available.
Vapor pressure:	Not determined or not available.
Vapor density:	Not determined or not available.
Density:	1.15 g/cm ³
Relative density:	Not determined or not available.
Solubilities:	Not determined or not available.
Partition coefficient (n-octanol/water):	Not determined or not available.
Auto/Self-ignition temperature:	Not determined or not available.
Decomposition temperature:	Not determined or not available.
Dynamic viscosity:	Not determined or not available.
Kinematic viscosity:	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

None known.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.25.2018

Page 6 of 10

Clear Epoxy Resin - Part A

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Skin corrosion/irritation

Assessment:

Causes skin irritation

Product data:

No data available.

Substance data:

Name	Result
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	Causes skin irritation.
P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Causes skin irritation

Serious eye damage/irritation

Assessment:

Causes serious eye irritation

Product data:

No data available.

Substance data:

Name	Result
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	Causes serious eye irritation.
P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Causes serious eye damage

Respiratory or skin sensitization

Assessment:

May cause an allergic skin reaction

Product data:

No data available.

Substance data:

Name	Result
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	May cause an allergic skin reaction.
P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Result : May cause sensitisation by skin contact.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.25.2018

Page 7 of 10

Clear Epoxy Resin - Part A

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.25.2018

Page 8 of 10

Clear Epoxy Resin - Part A

Name	Result
Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	EC50 - Scenedesmus capricornutum - 9 mg/L - 48 h

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available.

Substance data: No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

Canadian Transportation of Dangerous Goods (TDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	In accordance with Section 1.45.1 (SOR/2008-34) of the TDG Regulations, this product is not regulated as a marine pollutant as it is transported solely on land by road vehicle or railway vehicle
Special precautions for user	None
Additional Information	Non-bulk packages of this product are not regulated as hazardous materials unless transported by inland waterway. This product is not regulated as a hazardous material as it is transported in sizes of ≤5 L and the packagings meet the general provisions of Section 1.17 (SOR/2008-34) of the TDG Regulations.

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
------------------	---------------

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.25.2018

Page 9 of 10

Clear Epoxy Resin - Part A

UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	This material is shipped in quantities of less than 5 L and as such does not need to be marked as an Environmentally Hazardous Substance.
Special precautions for user	None
Additional Information	This product is not regulated as a dangerous good as it is transported in sizes of ≤5 L and the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8. Additionally, this product transported solely on land by road vehicle or railway vehicle.

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	This material is shipped in quantities of less than 5 L and as such does not need to be marked as an Environmentally Hazardous Substance.
Special precautions for user	None
Additional Information	This product is not regulated as a dangerous good as it is transported in sizes of ≤5 L and the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8. Additionally, this product transported solely on land by road vehicle or railway vehicle.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Bulk Name	None
Ship type	None
Pollution category	None

SECTION 15: Regulatory information

Canada regulations

Domestic substances list (DSL):

25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	Listed
3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Listed

Non-domestic substances list (NDSL): None of the ingredients are listed.

SECTION 16: Other information

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.25.2018

Page 10 of 10

Clear Epoxy Resin - Part A

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 07.25.2018

End of Safety Data Sheet

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 06.26.2019

Page 1 of 12

One Minute Epoxy Hardener - Syringe - Part B

SECTION 1: Identification

Product identifier

Product name: One Minute Epoxy Hardener - Syringe - Part B

Product code: 50101CAN



Recommended use of the product and restriction on use

Relevant identified uses: Not determined or not applicable.

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

North America

J-B Weld Company, LLC
400 CMH Road
Sulphur Springs, TX 75482
903-885-7696
info@jbweld.com

Emergency telephone number:

North America

CHEMTREC
1-800-424-9300 (24 hour)

SECTION 2: Hazard identification

GHS classification:

Flammable liquids, category 4

Skin corrosion, category 1B

Serious eye damage, category 1

Skin sensitization, category 1

Label elements

Hazard pictograms:



Signal word:

Danger

Hazard statements:

H227 Combustible liquid.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

Precautionary statements:

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 06.26.2019

Page 2 of 12

One Minute Epoxy Hardener - Syringe - Part B

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash skin and eyes thoroughly after handling.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P370+P378 In case of fire: Use agents recommended in section 5 for extinction.
P321 Specific treatment (see supplemental first aid instructions on this label).
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P362+P364 Take off contaminated clothing and wash it before reuse.
P333+P313 If skin irritation or a rash occurs: Get medical advice/attention
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor/physician.
P403 Store in a well ventilated place.
P405 Store locked up.
P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 112-24-3	Triethylenetetramine	1-5
CAS number: 100-51-6	Benzyl Alcohol	1-5
CAS number: 72244-98-5	Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether	>80
CAS number: 140-31-8	1-Piperazineethanamine	1-5
CAS number: 25620-58-0	1,6-Hexanediamine, C,C,C-trimethyl-	1-5
CAS number: 39423-51-3	Propylidynetrimethanol, propoxylated, reaction products with ammonia	1-5
CAS number: 3033-62-3	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	1-5
CAS number: 919-30-2	3-aminopropyltriethoxysilane	0.5-1.5
CAS number: 6674-22-2	1,8-diazabicyclo[5.4.0]undec-7-ene	0.1-1

Additional Information:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 06.26.2019

Page 3 of 12

One Minute Epoxy Hardener - Syringe - Part B

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the Canadian Hazardous Products Regulation and WHMIS 2015.

SECTION 4: First-aid measures

Description of first-aid measures

General notes:

Not determined or not available.

After inhalation:

Remove source of exposure or move person to fresh air and keep comfortable for breathing
Take precautions to ensure your own safety
Loosen clothing as necessary and position individual in a comfortable position
Maintain an unobstructed airway
Immediately call a POISON CONTROL CENTER or seek medical attention
If breathing has stopped, trained personnel should begin rescue breathing
Avoid mouth-to-mouth contact by using a barrier device
If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR)

After skin contact:

Avoid direct contact and wear chemical protective clothing, if necessary
Immediately take off all contaminated clothing
Gently blot or brush away excess product
Rinse skin with lukewarm, gently flowing water until medical aid is available
Immediately call a POISON CONTROL CENTER or seek medical attention
Wash contaminated clothing before re-use or discard

After eye contact:

Remove contact lenses, if present and easy to do so
Avoid direct contact and wear chemical protective gloves, if necessary
Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open
Immediately call a POISON CONTROL CENTER or seek medical attention
Continue rinsing until medical aid is available

After ingestion:

Do not induce vomiting and rinse mouth
Immediately call a POISON CONTROL CENTER or seek medical attention
If vomiting occurs naturally, lie on your side, in the recovery position
If breathing has stopped, trained personnel should begin rescue breathing
Avoid mouth-to-mouth contact by using a barrier device
If the heart has stopped, immediately start cardiopulmonary resuscitation (CPR)

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not available.

Delayed symptoms and effects:

Not determined or not available.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not available.

Notes for the doctor:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 06.26.2019

Page 4 of 12

One Minute Epoxy Hardener - Syringe - Part B

Not determined or not available.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Use Water (fog only), dry chemical, chemical foam, carbon dioxide, or alcohol-resistant foam

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Shut off sources of ignition

Carbon monoxide and carbon dioxide may form upon combustion

Heating causes a rise in pressure, risk of bursting and combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

Ensure air handling systems are operational

Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing

Use spark-proof tools and explosion-proof equipment

Absorb with non-combustible liquid-binding material (sand, diatomaceous earth (clay), acid binders, universal binders)

Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing mist or vapor.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Take precautionary measures against electrostatic discharges.

Use only non-sparking tools.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 06.26.2019

Page 5 of 12

One Minute Epoxy Hardener - Syringe - Part B

Protect from freezing and physical damage.

Store in a cool, well-ventilated area.

Store away from all ignition sources (open flames, hot surfaces, direct sunlight, spark sources).

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Canada	Triethylenetetramine	112-24-3	Ontario: 8-hour TWA 3.0 mg/m ³ (0.5 ppm)
	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	Alberta OELs - 8-Hour TWA Exposure Limit: 0.3 mg/m ³ (0.5 ppm)
	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	Alberta OELs - 15-minute STEL: 0.9 mg/m ³ (0.15 ppm)
	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	British Columbia OELs - 8-Hour TWA Exposure Value: 0.05 ppm
	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	British Columbia: 15-minute STEL: 0.15 ppm
	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	Manitoba OELs - 8-Hour Exposure Limit (TLV-TWA): 0.05 ppm
	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	Manitoba OELs - 15-minute STEL: 0.15 ppm
	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	Ontario OELs - 8-Hour TWA Exposure Value (TWA): 0.05 ppm
	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	Ontario OELs - 15-minute STEL (STEL): 0.15 ppm
	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	Saskatchewan OELs - 8 hour average contamination limit: 0.05 ppm
	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	3033-62-3	Saskatchewan OELs - 15 minute average contamination limit: 0.15 ppm

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above. Use explosion-proof ventilation equipment.

Personal protection equipment

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 06.26.2019

Page 6 of 12

One Minute Epoxy Hardener - Syringe - Part B

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance (physical state, color):	Clear liquid
Odor:	Not available
Odor threshold:	Not available
pH-value:	Not available
Melting/Freezing point:	Not available
Boiling point/range:	Not available
Flash point:	67°C (153°F)
Evaporation rate:	Not available
Flammability (solid, gaseous):	Not available
Explosion limit upper:	Not available
Explosion limit lower:	Not available
Vapor pressure:	Not available
Vapor density:	Not available
Density:	1.123 g/cm ³
Relative density:	Not available
Solubilities:	Not determined or not available.
Partition coefficient (n-octanol/water):	Not available
Auto/Self-ignition temperature:	Not available
Decomposition temperature:	Not available
Dynamic viscosity:	Not available
Kinematic viscosity:	Not available
Explosive properties	Not available
Oxidizing properties	Not available

Other information

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 06.26.2019

Page 7 of 12

One Minute Epoxy Hardener - Syringe - Part B

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

None known.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Route	Result
Benzyl Alcohol	inhalation	LC50 Rat: 4.178 mg/L (4 hr)
	oral	LD50 Rabbit: 1,040 mg/kg
1-Piperazineethanamine	oral	LD50 - Chicken - 1,500 mg/kg
Propylidynetrimethanol, propoxylated, reaction products with ammonia	oral	LD50 - Rat - 550 mg/kg
	dermal	LD50 - Rat - > 1,000 mg/kg
N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	oral	LD50 - Rat - 571 mg/kg
	inhalation	LC50 - Rat - 4.0 mg/L - 4 h (aerosol)
	dermal	LD50 - Rabbit - 750 mg/kg
1,8-diazabicyclo[5.4.0]undec-7-ene	oral	LD50 - Rat - 251 - <300 mg/kg
3-aminopropyltriethoxsilane	oral	LD50 Rat: 1780 mg/kg

Skin corrosion/irritation

Assessment:

Causes severe skin burns and eye damage

Product data:

No data available.

Substance data:

Name	Result
1-Piperazineethanamine	Corrosive to the skin.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 06.26.2019

Page 8 of 12

One Minute Epoxy Hardener - Syringe - Part B

Name	Result
1,6-Hexanediamine, C,C,C-trimethyl-	Causes skin burns
Triethylenetetramine	Causes severe skin burns and eye damage.
N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	Corrosive to the skin.
1,8-diazabicyclo[5.4.0]undec-7-ene	Corrosive to the skin.
3-aminopropyltriethoxysilane	Causes severe skin burns and eye damage.

Serious eye damage/irritation

Assessment:

Causes serious eye damage

Product data:

No data available.

Substance data:

Name	Result
Propylidynetrimethanol, propoxylated, reaction products with ammonia	Corrosive to the eyes.
N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	Corrosive effect on the eyes.
1,8-diazabicyclo[5.4.0]undec-7-ene	Corrosive effect on the eyes.

Respiratory or skin sensitization

Assessment:

May cause an allergic skin reaction

Product data:

No data available.

Substance data:

Name	Result
Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether	May cause an allergic skin reaction.
1-Piperazineethanamine	Sensitization possible through skin contact.
1,6-Hexanediamine, C,C,C-trimethyl-	Sensitization possible through skin contact.
Triethylenetetramine	May cause an allergic skin reaction.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

International Agency for Research on Cancer (IARC): None of the ingredients are listed.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 06.26.2019

Page 9 of 12

One Minute Epoxy Hardener - Syringe - Part B

National Toxicology Program (NTP): None of the ingredients are listed.

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Triethylenetetramine	LC50 - Daphnia magna (Water flea) - 33.9 mg/L - 48 h
Propylidynetrimethanol, propoxylated, reaction products with ammonia	EC50 - Pseudokirchnerella subcapitata - 4.4 mg/L - 72 h

Chronic (long-term) toxicity

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 06.26.2019

Page 10 of 12

One Minute Epoxy Hardener - Syringe - Part B

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether	NOEC - Daphnia magna (Water flea) - 3.5 mg/L - 21 d

Persistence and degradability

Product data: No data available.

Substance data: No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

Canadian Transportation of Dangerous Goods (TDG)

UN number	UN 1760
UN proper shipping name	Corrosive Liquid, N.O.S. (1,6-Hexanediamine, C,C,C-trimethyl-, Triethylenetetramine)
UN transport hazard class(es)	8 
Packing group	II
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	UN 1760
UN proper shipping name	Corrosive Liquid, N.O.S. (1,6-Hexanediamine, C,C,C-trimethyl-, Triethylenetetramine)

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 06.26.2019

Page 11 of 12

One Minute Epoxy Hardener - Syringe - Part B

UN transport hazard class(es)	8	
Packing group	II	
Environmental hazards	None	
Special precautions for user	None	

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	UN 1760	
UN proper shipping name	Corrosive Liquid, N.O.S. (1,6-Hexanediamine, C,C,C-trimethyl-, Triethylenetetramine)	
UN transport hazard class(es)	8	
Packing group	II	
Environmental hazards	None	
Special precautions for user	None	

SECTION 15: Regulatory information

Canada regulations

Domestic substances list (DSL):

72244-98-5	Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether	Listed
100-51-6	Benzyl Alcohol	Listed
140-31-8	1-Piperazineethanamine	Listed
25620-58-0	1,6-Hexanediamine, C,C,C-trimethyl-	Listed
112-24-3	Triethylenetetramine	Listed
39423-51-3	Propylidynetrimethanol, propoxylated, reaction products with ammonia	Listed
3033-62-3	N,N,N',N'-tetramethyl-2,2'-oxybis(ethylamine)	Listed
6674-22-2	1,8-diazabicyclo[5.4.0]undec-7-ene	Listed
919-30-2	3-aminopropyltriethoxysilane	Listed

Non-domestic substances list (NDSL): None of the ingredients are listed.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 06.26.2019

Page 12 of 12

One Minute Epoxy Hardener - Syringe - Part B

relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 06.26.2019

End of Safety Data Sheet