

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.31.2019

Page 1 of 10

Heat Resistant Fiberglass Repair Wrap

SECTION 1: Identification

Product identifier

Product name: Heat Resistant Fiberglass Repair Wrap

Product code: 38501CAN, 38503CAN



Recommended use of the product and restriction on use

Relevant identified uses: Repair of heat pipeline, such as auto vent-pipe.

Uses advised against: Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

North America

J-B Weld Company, LLC
400 CMH Road
Sulphur Springs, TX 75482
903-885-7696
info@jbweld.com

Emergency telephone number:

North America

InfoTrac
352-323-3500

SECTION 2: Hazard identification

GHS classification:

Respiratory sensitization, category 1

Label elements

Hazard pictograms:



Signal word: Danger

Hazard statements:

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P284 Wear respiratory protection.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician.

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.31.2019

Page 2 of 10

Heat Resistant Fiberglass Repair Wrap

During fabrication and installation processes, such as grinding, sanding or cutting; respirable silica may be released from this product. Chronic exposure to respirable silica via inhalation may cause silicosis, an incurable lung disease that leads to disability and death. It may also cause COPD (Chronic Obstructive Pulmonary Disease), Lung Cancer, Kidney disease and the development of autoimmune disorders

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 65997-17-3	Glass, oxide, chemicals	30-60
CAS number: 68092-58-0	Propanol, ((1-methyl-1,2-ethanediyl)bis(oxy))bis-, polymer with 1,1'-methylenebis(isocyanatobenzene) and oxybis(propanol)	15-40

Additional Information:

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the Canadian Hazardous Products Regulation and WHMIS 2015.

SECTION 4: First-aid measures

Description of first-aid measures

General notes:

Not determined or not available.

After inhalation:

Get medical advice/attention if you feel unwell

If breathing is difficult, administer oxygen

Remove victim to fresh air and place in a position comfortable for breathing

If breathing has stopped, trained personnel should begin rescue breathing

If respiratory symptoms develop and persists or if not feeling well: seek medical advice/attention

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

After ingestion:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

The product has a fabric consistency and ingestion is not a likely route of exposure

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Exposure to this product as supplied has the potential to cause respiratory sensitization. Symptoms include: cough, breathing difficulties, asthma like symptoms and inflammation of the respiratory tract
Airborne glass fibers or dust may cause eye, skin and respiratory irritation

Delayed symptoms and effects:

During fabrication and installation processes, such as grinding, sanding or cutting; respirable silica may be released from this product. Chronic exposure to respirable silica via inhalation may cause silicosis, an

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.31.2019

Page 3 of 10

Heat Resistant Fiberglass Repair Wrap

incurable lung disease that leads to disability and death. It may also cause COPD (Chronic Obstructive Pulmonary Disease), Lung Cancer, Kidney disease and the development of autoimmune disorders. Symptoms of silicosis may or may not be obvious. As the disease progresses, exercising may cause shortness of breath. In the later stages, symptoms include lung fatigue, extreme shortness of breath, chest pain and respiratory failure. In rare instances, individuals exposed to very high concentrations of respirable crystalline silica can develop typical silicosis symptoms as well as fever and weight loss within weeks instead of years. In these cases, medical evaluation should be performed as soon as possible. Silicosis affects the immune system, increasing the risk of lung infections such as tuberculosis. Exposure to respirable crystalline silica increases the risk of other lung diseases including COPD, emphysema, chronic bronchitis and lung cancer. The main symptom of COPD is shortness of breath due to difficulty breathing air into the lungs. COPD is not usually reversible and may worsen over time. Studies of workers exposed to respirable crystalline silica have found that these workers are at increased risk of developing kidney disease.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not available.

Notes for the doctor:

Treat symptomatically

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Carbon dioxide, water fog, dry sand, chemical foam, powder

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition will release irritating or toxic fumes (or gases)

Special protective equipment for firefighters:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Special precautions:

Approach fire from upwind to avoid hazardous vapors and toxic. Move containers from fire area if this can be done without risk. Prevent run off from fire control dilution from entering streams or drinking water supply

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Wear recommended personal protective equipment, including respirator if dust has been generated (see Section 8)

Ventilate area

Eliminate sources of ignition

Environmental precautions:

Should not be released into the environment

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.31.2019

Page 4 of 10

Heat Resistant Fiberglass Repair Wrap

Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Sweep or scoop up solid material while minimizing dust generation
Dispose of contents / container in accordance with local regulations

Reference to other sections:

Section 8: Personal Protective Equipment

SECTION 7: Handling and storage

Precautions for safe handling:

Minimize dust generation.
Avoid breathing dust and fume.
Wear recommended personal protective equipment (see section 8).
Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.
Avoid contact with eyes, skin and clothing.
Ensure good local exhaust ventilation.
Handle and open container with care. Keep container tightly closed when not in use.
If dust is being generated, wear respiratory protection.
Keep away from incompatible materials (see Section 10).
Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Wash contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities:

Keep containers tightly closed. Store in a cool, dry, well-ventilated area out of direct sunlight. Store away from incompatible materials (see section 10). Store away from sources of ignition, feedstuffs, beverages and foods. Avoid physical damage to containers.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Canada	Glass, oxide, chemicals	65997-17-3	Alberta OELs - 8-hour TWA Exposure Limit: 5 mg/m ³
	Glass, oxide, chemicals	65997-17-3	British Columbia OELs - 8-hour TWA Exposure Limit: 5 mg/m ³
	Glass, oxide, chemicals	65997-17-3	Manitoba OELs - 8-hour TWA Exposure Limit: 5 mg/m ³
	Glass, oxide, chemicals	65997-17-3	Ontario OELs - 8-hour TWA Exposure Limit: 5 mg/m ³
	Glass, oxide, chemicals	65997-17-3	Saskatchewan OELs - 8 Hour Average Contamination Limit: 5 mg/m ³

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.31.2019

Page 5 of 10

Heat Resistant Fiberglass Repair Wrap

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

Wear appropriate protective respiratory masks. A full face positive pressure supplied-air respirator or a self contained breathing apparatus should be used when there is the risk of greater exposure.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance (physical state, color):	Brown fabric
Odor:	Characterisitic odor
Odor threshold:	Not determined or not available.
pH-value:	Not determined or not available.
Melting/Freezing point:	Not determined or not available.
Boiling point/range:	Not determined or not available.
Flash point:	Not determined or not available.
Evaporation rate:	Not determined or not available.
Flammability (solid, gaseous):	Not determined or not available.
Explosion limit upper:	Not determined or not available.
Explosion limit lower:	Not determined or not available.
Vapor pressure:	Not determined or not available.
Vapor density:	Not determined or not available.
Density:	Not determined or not available.
Relative density:	Not determined or not available.
Solubilities:	Not determined or not available.
Partition coefficient (n-octanol/water):	Not determined or not available.
Auto/Self-ignition temperature:	Not determined or not available.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.31.2019

Page 6 of 10

Heat Resistant Fiberglass Repair Wrap

Decomposition temperature:	Not determined or not available.
Dynamic viscosity:	Not determined or not available.
Kinematic viscosity:	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

Incompatible materials and any sources of ignition.

Incompatible materials:

Strong acids, strong oxidants, strong bases

Hazardous decomposition products:

Thermal decomposition will release irritating or toxic fumes (or gases).

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Skin corrosion/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Serious eye damage/irritation

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Respiratory or skin sensitization

Assessment:

May cause allergy or asthma symptoms or breathing difficulties if inhaled

Product data:

No data available.

Substance data:

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.31.2019

Page 7 of 10

Heat Resistant Fiberglass Repair Wrap

Name	Result
Propanol, ((1-methyl-1,2-ethanediyl)bis(oxy))bis-, polymer with 1,1'-methylenebis(isocyanatobenzene) and oxybis(propanol)	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Resin (CAS# 68092-58-0)	May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Species	Result
Glass Oxide	Not Applicable	This product contains glass oxide. Glass Oxides is a suspected carcinogen via inhalation. Exposure to respirable silica is unlikely as this product is shipped and supplied. During fabrication and installation processes, such as grinding, sanding or cutting; respirable silica may be released from this product.

International Agency for Research on Cancer (IARC):

Name	Classification
Glass, oxide, chemicals	Group 2B

National Toxicology Program (NTP):

Name	Classification
Glass, oxide, chemicals	Reasonably anticipated to be human carcinogens

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.31.2019

Page 8 of 10

Heat Resistant Fiberglass Repair Wrap

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:

No data available.

Substance data: No data available.

Information on likely routes of exposure:

skin contact; inhalation (if airborne dust is generated)

Symptoms related to the physical, chemical and toxicological characteristics:

Exposure to this product as supplied has the potential to cause respiratory sensitization. Symptoms include: cough, breathing difficulties, asthma like symptoms and inflammation of the respiratory tract. Airborne glass fibers may cause irritation of the skin, eyes and respiratory tract.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available.

Substance data: No data available.

Bioaccumulative potential

Product data: No data available.

Substance data: No data available.

Mobility in soil

Product data: No data available.

Substance data: No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities Disposal should be in accordance with applicable regional, national and local laws and regulations

SECTION 14: Transport information

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.31.2019

Page 9 of 10

Heat Resistant Fiberglass Repair Wrap

Canadian Transportation of Dangerous Goods (TDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

Canada regulations

Domestic substances list (DSL):

65997-17-3	Glass, oxide, chemicals	Listed
68092-58-0	Propanol, ((1-methyl-1,2-ethanediyl)bis(oxy))bis-, polymer with 1,1'-methylenebis(isocyanatobenzene) and oxybis(propanol)	Listed

Non-domestic substances list (NDSL): None of the ingredients are listed.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information

Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.31.2019

Page 10 of 10

Heat Resistant Fiberglass Repair Wrap

relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 07.31.2019

End of Safety Data Sheet