



Mesh Office Chair

Model No. 068-7570-0



Assembly Instructions

IMPORTANT: Please read this manual carefully before beginning assembly of this product. Keep this manual for future reference.

Made in China.

Imported by Trileaf Distribution Trifeuil Toronto, Canada M4S 2B8

Table of Contents	2
Important Safety Instructions	2
Parts List	3
Assembly	4
Technical Specifications	6
Warranty	6



Warning! To reduce the risk of injury, read the following safety instructions before assembling.

- Use this product only one person at a time.
- Do not use this chair unless all bolts, screws and knobs are securely tightened.
- Check that all bolts, screws and knobs are tight every three months or as needed.
- Do not overturn back tilt knob when decreasing tension.
- Dispose of packing material properly. Do not use plastic cover as head covering, as it may cause suffocation.
- Do not use chair as a stepladder.
- Use this chair for its intended purpose only.

1
Casters (5)



2
Base



3
Cylinder



4
Bellows



5
Seat plate




6
Seat cushion



7
Back cushion



8
Arms (left & right)



A
Plastic cap



B
Screws (5/16" x 25 mm) (2)



C
Screws (5/16" x 30 mm) (2)



D
Screws (1/4" x 35 mm) (6)




E
Hex wrench



Step 1

Requires **1, 2, 3, 4**

Insert 5 casters **1** into base **2**,
push hard until you feel or hear the caster **1** snap
into place.
Insert cylinder **3** into base **2** and slip bellows **4**
over cylinder **3**.




Step 2

Requires **6, 8, D, E**

Attach left and right arms **8** to seat cushion **6** by using three screws **D** in each arm.

Fully tighten all screws using hex wrench **E**.




Step 3

Requires **5, 6, B, C, E**

Attach seat plate **5** to seat cushion **6** with the arrow
towards the front of the chair, using two screws **B** and
two screws **C**.

Fully tighten all screws using hex wrench **E**.



Step 4

Requires **3, 5, 6, 7**

Place the assembled seat on top of cylinder **3** and apply downward
pressure.


Align back cushion **7** with seat cushion **6** by gently inserting back
support plate into the rear hole of the seat plate **5** and tighten by using
the knob on the rear right side of the seat plate **5**.



Step 5

Requires **A**

Insert Plastic cap **A** into the back support plate as shown.



Now your chair is ready for use. Enjoy!



Dimensions (WxDxH)

68 x 64.5 x 98-107 cm

26 3/4 x 25 3/8 x 38 1/2-42"

This For Living™ product carries a one (1) year warranty against defects in workmanship and materials.

Trileaf Distribution agrees to replace a defective product free of charge within the stated warranty period when returned by the original purchaser with proof of purchase.

This product is not guaranteed against wear or breakage due to misuse and / or abuse.