


CANVAS^{TM/MC}

MORaine SECTIONAL SET

PRODUCT NO. 088-0542-2



ASSEMBLY INSTRUCTIONS



HAVING TROUBLE?

TOLL-FREE:

1-888-670-6684

IMPORTANT: Please read this manual carefully before beginning assembly of this product. Keep this manual for future reference.

CANVAS™

INSPIRED BY CANADA



We believe in the power of décor and its ability to make up the fabric of your home.

That's why **CANVAS®** collections draw **inspiration from Canadians and the way they live.**

From on-trend furniture pieces to holiday décor and all your outdoor living essentials, **CANVAS®** makes it easy to refresh your space to reflect **your unique style and the way you live every day.**

We would love to hear from you and welcome your thoughtful feedback. Visit our website at **canadiantire.ca** to tell us about your experience, and share your photos with us using **#mycanvasstyle.**

Show us how you bring **CANVAS®** products to life. We can't wait to see!

TABLE OF CONTENTS

Tools Required	4
Parts List—Right Arm Loveseat	5
Step-by-step Guide	7
Parts List—Left Arm Loveseat	11
Step-by-step Guide	13
Parts List—Corner Chair	17
Step-by-step Guide	19
Instruction for Use	23
Parts List—Side table	24
Step-by-step Guide	26
Caring for Your Item	31
Warranty	31




WARNING! TO REDUCE THE RISK OF SERIOUS INJURY, READ THE FOLLOWING SAFETY INSTRUCTIONS BEFORE ASSEMBLING AND USING THE PRODUCT.

- The maximum weight capacity for the loveseat and corner chair is 225 lb (102 kg) per seat; maximum weight capacity for table is 44 lb (20 kg). Do not stand on loveseat, corner chair or side table.
- Please read and understand this entire manual before attempting to assemble, operate, or install the product.
- Any assembly or maintenance of the product must be carried out by adults only.
- Some parts may contain sharp edges. Wear protective gloves if necessary.
- To prevent damage, place all parts on a level surface during assembly. Add a layer of protective surface if needed.
- Due to the nature of steel, surface oxidation (rusting) will occur if this protective coating is scratched. This is a natural process. To minimize this condition, it is recommended that care be taken when assembling and handling the product in order to prevent the paint from being scratched.


TOOLS REQUIRED



Hex Key (included)










Wrench (included)




2 people

Before beginning assembly of this product, be sure all parts are present. Compare parts with package contents list and hardware contents list. If any part appears to be missing or damaged, do not begin assembly of this product and call customer service immediately.










PARTS LIST—RIGHT ARM LOVESEAT

ITEM	DESCRIPTION	THUMBNAIL	QUANTITY
1	Loveseat back—right		1
2	Loveseat base—right		1
3	Right arm		1
4	Seat cushion		2
5	Back cushion		2
6	Plastic foot		4
10	Bolster cushion		1

EXPLODED PARTS




HARDWARE LIST

ITEM	DESCRIPTION	THUMBNAIL	QUANTITY
A	Screw M6*18		4
B	Screw M6*40		1
C	Screw M6*45		3
D	Washer M6		8
E	Hex key		1
F	Nut		4
G	Spring washer		4
H	Washer M8		4
I	Wrench		1


STEP-BY-STEP GUIDE

STEP 1

Place the right arm **3** onto a non-abrasive surface, such as a carpet, with its inside facing upwards. Attach two plastic feet **6** to right arm panel **3** with nuts **F**, spring washers **G** and washers **H** using wrench **I**, aligning the holes. Repeat step to attach plastic foot **6** to loveseat back—right **1**, and to loveseat base—right **2**, with nuts **F**, spring washers **G** and washers **H** using wrench **I**. When assembled, tighten all screws with wrench **I**.







1 x1	2 x1
3 x1	6 x4
F x4	G x4
H x4	I x1





STEP 2

Place the loveseat back—right **1** onto a non-abrasive surface, such as a carpet, with its inside facing upwards. Attach the loveseat base—right **2** to loveseat back—right **1**, with screws **A**, **C** and washers **D** using hex key **E**, aligning the holes.

A x1	C x3
	
D x4	E x1
	

NOTE:





Do not fully tighten screws until you have assembled the loveseat. Once assembly is complete, then fully tighten each screw.



STEP-BY-STEP GUIDE


STEP 3

Place the right arm **3** onto a non-abrasive surface, such as a carpet, with its inside facing upwards. Attach the loveseat base—right **2** and back—right **1** to the right arm **3** with screws **A**, butterfly bolt **B** and washers **D** using hex key **E**, aligning the holes. When assembled, tighten all screws with hex key **E**.

A x3	B x1
	
D x4	E x1
	



NOTE:

Do not fully tighten screws until you have assembled the loveseat. Once assembly is complete, then fully tighten each screw.










STEP 4


Put seat cushions **4**, back cushions **5** and bolster cushion **10** on the seat.












PARTS LIST—LEFT ARM LOVESEAT

ITEM	DESCRIPTION	THUMBNAIL	QUANTITY
7	Loveseat back—left		1
8	Loveseat base—left		1
9	Left arm		1
4	Seat cushion		2
5	Back cushion		2
6	Plastic foot		4
10	Bolster cushion		1

EXPLODED PARTS




HARDWARE LIST

ITEM	DESCRIPTION	THUMBNAIL	QUANTITY
A	Screw M6*18		4
B	Screw M6*40		1
C	Screw M6*45		3
D	Washer M6		8
E	Hex key		1
F	Nut		4
G	Spring washer		4
H	Washer M8		4
I	Wrench		1


STEP-BY-STEP GUIDE

STEP 1

Place the left arm **9** onto a non-abrasive surface, such as a carpet, with its inside facing upwards. Attach two plastic feet **6** to left arm panel **9** with nuts **F**, spring washers **G** and washers **H** using wrench **I**, aligning the holes. Repeat step to attach plastic foot **6** to loveseat back—left **7**, and to loveseat base—left **8** with nuts **F**, spring washers **G** and washers **H** using wrench **I**. When assembled, tighten all screws with wrench **I**.







7 x1	8 x1
9 x1	6 x4
F x4	G x4
H x4	I x1





STEP 2

Place the loveseat back—left **7** onto a non-abrasive surface, such as a carpet, with its inside facing upwards. Attach the loveseat base—left **8** to loveseat back—left **7**, with screws **A**, **C** and washers **D** using hex key **E**, aligning the holes.

A x1	C x3
	
D x4	E x1
	

NOTE:





Do not fully tighten screws until you have assembled the loveseat. Once assembly is complete, then fully tighten each screw.



STEP-BY-STEP GUIDE


STEP 3

Place the left arm **9** onto a non-abrasive surface, such as a carpet, with its inside facing upwards. Attach the loveseat back—left **7** to the loveseat base—left **8** with screws **A**, butterfly bolt **B** and washers **D** using hex key **E**, aligning the holes. When assembled, tighten all screws with hex key **E**.

A x3	B x1
	
D x4	E x1
	



NOTE:

Do not fully tighten screws until you have assembled the loveseat. Once assembly is complete, then fully tighten each screw.








STEP 4



Put seat cushions **4**, back cushions **5** and bolster cushion **10** on the seat.












PARTS LIST—CORNER CHAIR

ITEM	DESCRIPTION	THUMBNAIL	QUANTITY
1	Chair back		1
2	Chair base		1
3	Seat cushion		1
4	Back cushion		3
5	Plastic foot		5

EXPLODED PARTS





HARDWARE LIST

ITEM	DESCRIPTION	THUMBNAIL	QUANTITY
A	Screw M6*18		2
B	Screw M6*45		4
C	Washer M6		6
D	Hex key		1
E	Nut		5
F	Spring washer		5
G	Washer M8		5
H	Wrench		1
I	Plastic connector		4


STEP-BY-STEP GUIDE

STEP 1

Place the chair base **2** onto a non-abrasive surface, such as a carpet, with its bottom facing upwards. Attach two plastic feet **5** to the chair base **2** with nuts **E**, spring washers **F** and washers **G** using wrench **H**, aligning the holes. Repeat step to attach plastic feet **5** to chair back **1**. When assembled, tighten all screws with wrench **H**.




1 x1	2 x1
5 x5	E x5
F x5	G x5
	H x1





STEP 2

Place the chair back **1** onto a non-abrasive surface, such as a carpet, with its inside facing upwards. Attach the chair base **2** to chair back **1** with screws **B** and washers **C** using hex key **D**, aligning the holes.



NOTE:


Do not fully tighten screws until you have assembled the chair. Once assembly is complete, then fully tighten each screw.



STEP-BY-STEP GUIDE



STEP 3

Attach the chair base **2** to chair back **1** with screws **A** and washers **C** using hex key **D**, aligning the holes. When assembled, tighten all screws with hex key **D**.





NOTE:

Do not fully tighten screws until you have assembled the chair. Once assembly is complete, then fully tighten each screw.



STEP 4



Put seat cushion **3** and back cushions **4** on the chair.







INSTRUCTIONS FOR USE

When in use, the loveseats and corner chair can be connected using **2** plastic connectors **I** on each side.


I x4






PARTS LIST—SIDE TABLE

ITEM	DESCRIPTION	THUMBNAIL	QUANTITY
6	Table top		1 per table
7	Table base side panel A		2 per table
8	Table base side panel B		2 per table
9	Bottom panel		1 per table

EXPLODED PARTS



HARDWARE LIST






ITEM	DESCRIPTION	THUMBNAIL	QUANTITY
C	Washer M6		12 per table
D	Hex key		1 per table
J	Screw M6*35		12 per table

STEP-BY-STEP GUIDE

STEP 1



Attach the side panel **8** to the side panels **7** with screws **I** and washers **C** using hex key **D**, aligning the holes.

When assembled, tighten all screws with hex key **D**.

7 x2	8 x1
	
J x4	C x4
	
D x1	
	





NOTE:

Do not fully tighten screws until you have assembled the table. Once assembly is complete, then fully tighten each screw.





STEP 2

Repeat Step 2 to attach other side panel **8** to side panels **7**.

8 x1	J x4
	
C x4	D x1
	

NOTE:





Do not fully tighten screws until you have assembled the table. Once assembly is complete, then fully tighten each screw.



STEP-BY-STEP GUIDE




STEP 3

Place the side panel onto a non-abrasive surface, such as a carpet. Attach the bottom panel **9** to table side panels **8** with screws **J** and washers **C** using hex key **D**, aligning the holes. When assembled, tighten all screws with hex key **D**.

9 x1	J x4
	
C x4	D x1
	



NOTE:

Do not fully tighten screws until you have assembled the Table. Once assembly is complete, then fully tighten each screw.




STEP 4

Set table upright and put table feet on the floor, then place the table top **6** on the top.



STEP 6

Repeat Steps 1-5 to assemble the other side table.



CARING FOR YOUR ITEM

1 Always keep children under close supervision while they are using or around this product. Never leave children unattended.

2 This product is intended for domestic, outdoor use only.

3 Do not light any fires below or near the product.

4 Check all nuts and bolts periodically for tightness. When required, tighten them again.

5 We recommend the use of furniture covers when not in use.

CLEANING: Wash frame and wicker parts with mild soap and water, rinse thoroughly and dry completely. Do not use bleach, acid, or other solvents on the frame or wicker parts.

- The cushion may be washed on the surface only by using mild soap and water or commercial foaming upholstery cleaner if necessary. If washed, rinse well and hang to dry. Do not machine wash or dry.

OFF SEASON: Clean and dry before storing in a dry, sheltered area.

WARRANTY INFORMATION



1-YEAR LIMITED WARRANTY*

This CANVAS® product carries a one (1) year warranty against defects in workmanship and materials. Trileaf Distribution agrees to replace the defective product free of charge within the stated warranty period, when returned by the original purchaser with proof of purchase. This product is not guaranteed against wear or breakage due to misuse and/or abuse.

PRODUCT NO. 088-0542-2

Made in China

Imported by Trileaf Distribution Trifeuil Toronto, Canada M4S 2B8

CANVAS™

INSPIRED BY CANADA

